# **SAP EDUCATION**

#### SAMPLE QUESTIONS: C\_GRCAC\_10

SAP Certified Application Associate - SAP BusinessObjects Access Control 10.0 - print view

Disclaimer: These sample questions are for self-evaluation purposes only and do not appear on the actual certification exams. Answering the sample questions correctly is no guarantee that you will pass the certification exam. The certification exam covers a much broader spectrum of topics, so do make sure you have familiarized yourself with all topics listed in the exam competency areas before taking the certification exam.

### Questions

1. What is the difference between an SoD risk and a critical action risk?

Please choose the correct answer.

| a) | 0 | An SoD risk is comprised of two or more conflicting functions, while a critical action risk is comprised of one function.  |
|----|---|--|
| b) | 0 | An SoD risk is comprised of one function, while a critical action risk is comprised of two or more actions that conflict within a function.                            |
| c) | 0 | An SoD risk is comprised of two or more conflicting permissions, while a critical action risk is comprised of two or more permissions that conflict within a function. |
| d) | 0 | An SoD risk is comprised of actions in one function, while a critical action risk is comprised of two or more conflicting functions.                                   |

#### 2. What is a purpose of the Access Rule Maintenance workset?

Please choose the correct answer.

| a) | 0 | To set up specific access risk rules to reflect company policies        |
|----|---|---|
| b) | 0 | To delete a table structure from the rule set                           |
| c) | 0 | To maintain the rule set so that you can combine rules to build risks   |
| d) | 0 | To tie actions to risks so that you can combine them to build functions |

3. Which risk analysis reports must be executed in the background?

Note: There are 2 correct answers to this question?

| a) | 0 | Role level simulation with "Include Users" as an additional criterion       |
|----|---|---|
| b) | 0 | User level risk analysis with "Show All Objects" as an additional criterion |
| c) | 0 | Offline risk analysis   |
| d) | 0 | Role level risk analysis with "Show All Objects" as an additional criterion |

4. You have created a custom role methodology for your firefight-related security roles. However, when you create a specific firefight-related security role, the expected methodology is not applied.

What could be the reason?

Please choose the correct answer.

| a) | 0 | The BRFplus decision table does not contain the appropriate condition. |
|----|---|--|
| b) | 0 | The role methodology is not assigned to an organizational value map.   |
| c) | 0 | The condition group is not assigned to a role prerequisite.            |
| d) | 0 | The Direct Value Input method was used for the condition column.       |

#### 5. Which workflow-related MSMP rule kinds can you create in BRFplus?

#### Note: There are 3 correct answers to this question?

| a) | 0 | Notification variables rule |
|----|---|-----------------------------|
| b) | 0 | Detour rule                 |
| c) | 0 | Process rule                |
| d) | 0 | Routing rule                |
| e) | 0 | Agent rule                  |

6. When is a BRFplus Routing rule triggered?

Please choose the correct answer.

| a) | 0 | During workflow processing               |
|----|---|--|
| b) | 0 | During BRFplus decision table activation |
| C) | 0 | During workflow configuration            |
| d) | 0 | During BRFplus rule configuration        |

7. Which transaction do you use to synchronize transactions and their descriptions in the Access Control repository?

Please choose the correct answer.

| a) | 0 | Role Usage Synchronization (GRAC_ROLE_USAGE_SYNC)     |
|----|---|---|
| b) | 0 | Profile Synchronization (GRAC_PROFILE_SYNC)           |
| c) | 0 | Repository Object Synchronization (GRAC_REP_OBJ_SYNC) |
| d) | 0 | Authorizations Synchronization (GRAC_AUTH_SYNC)       |

8. Which of the following roles delivered by SAP can you use to grant access to Emergency Access Management?

Please choose the correct answer.

| a) | 0 | SAP_GRAC_END_USER             |
|----|---|-------------------------------|
| b) | 0 | SAP_GRAC_SUPER_USER_MGMT_USER |
| c) | 0 | SAP_GRAC_SPM_FFID             |
| d) | 0 | SAP_GRAC_RULE_SETUP           |

9. You have created a connector to use Access Control for access request management. What does SAP recommend regarding the assignment of integration scenarios to this connector?

Please choose the correct answer.

| a) | 0 | Assign the Provisioning (PROV) integration scenario to the connector.     |
|----|---|---|
| b) | 0 | Assign all four Access Control integration scenarios to the connector.    |
| c) | 0 | Assign the Role Management (ROLMG) integration scenario to the connector. |
| d) | 0 | Assign the Authorization Management (AUTH) integration                    |

|  | scenario to the connector. |
|--|----------------------------|
|--|----------------------------|

10. What information is mandatory when you define an initiator or routing rule in the Maintain Rules work area?

Please choose the correct answer.

| a) | 0 | Rule Result Value     |
|----|---|-----------------------|
| b) | 0 | Notification Variable |
| c) | 0 | Route Mapping         |
| d) | 0 | Variable Description  |

11. Which of the following objects can you use as an agent type to define approvers assigned to a workflow stage in MSMP workflow?

#### Note: There are 3 correct answers to this question?

| a) | 0 | PFCG User Groups                   |
|----|---|------------------------------------|
| b) | 0 | GRC BAPI Rules                     |
| C) | 0 | User Group for Authorization Check |
| d) | 0 | Directly Mapped Users              |
| e) | 0 | PFCG Roles                         |

12. You want request details to be sent to specific users automatically using a custom notification. What do you have to do to enable this?

Note: There are 2 correct answers to this question.

| a) | 0 | Assign a document object to a message class.                |
|----|---|---|
| b) | 0 | Enable e-mail reminders for the required users.             |
| c) | 0 | Define a stage in MSMP workflow.                            |
| d) | 0 | Define a notification message using the required variables. |

13. How do you enable manual provisioning in Access Control?

Please choose the correct answer.

| a) | 0 | Maintain the relevant plug-in settings. |
|----|---|---|
| b) | 0 | Maintain the relevant global settings.  |

| c) | 0 | Maintain the end-user personalization form.            |
|----|---|--|
| d) | 0 | Maintain the "Override Assign Type" MSMP task setting. |

## **Solutions**

| <b>5</b> a) Correct<br>5 b) Incorrect |
|---------------------------------------|
| 5 b) Incorrect                        |
| ,                                     |
| 5 c) Incorrect                        |
| 5 d) Correct                          |
| 5 e) Correct                          |
| 10 a) Correct                         |
| 10 b) Incorrect                       |
| 10 c) Incorrect                       |
| 10 d) Incorrect                       |
|                                       |
|                                       |
|                                       |
|                                       |
|                                       |
|                                       |
|                                       |

Want to learn more? Contact SAP for more information.